EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((content\$2 adj relay) same ((application adj layer) OR (layer adj "7"))) (@ad<"20021017" OR @rlad<"20021017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/03 11:49
L2	220	(relay same ((application adj layer) OR (layer adj "7"))) (@ad<"20021017" OR @rlad<"20021017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/03 11:50
L3	84	(relay with ((application adj layer) OR (layer adj "7"))) (@ad<"20021017" OR @rlad<"20021017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/03 11:50
S1	2	"20040076154"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/03 15:28
S2	2	"6430184".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/03 14:08
S3	2	"5991295".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/03 15:02
S4	4414	370/389.COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/03 15:02

S 5	0	(content\$2 adj relay adj node \$2) (data adj (packet\$2 OR process\$7 OR attribut\$3)) ((input OR output) adj port \$2) (stor\$7 OR memor\$3) address\$3 table priority (rout \$7 adj control) @ad<"20021017"	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/03 15:38
S6	0	(content\$2 adj relay adj node \$2) (data adj (packet\$2 OR process\$7 OR attribut\$3)) ((input OR output) adj port \$2) (stor\$7 OR memor\$3) (rout\$7 adj control) @ad<"20021017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/03 15:39
S7	4	(content\$2 adj relay) (data adj (packet\$2 OR process\$7 OR attribut\$3)) ((input OR output) adj port\$2) (stor\$7 OR memor\$3) @ad<"20021017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/03 16:17
S8	21	(content\$2 adj relay) (data adj (packet\$2 OR process\$7 OR attribut\$3)) @ad<"20021017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 10:46
S9	13	(storage adj routing adj table) @ad<"20021017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 10:49
S10	13	(storage adj1 routing adj1 table) @ad<"20021017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 10:51
S11	0	NSA SRT @ad<"20021017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 11:31
S12	2	NSA SRT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/07 11:31
S 13	812	(control adj unit) (routing adj table) @ad<"20021017"	US-PGPUB; USPAT	AND	ON	2007/05/17 16:09

S14	98	(control adj unit) WITH (routing adj table) @ad< "20021017"	US-PGPUB; USPAT	AND	ON	2008/01/15 17:13
S16	41	((control adj unit) WITH (routing adj table)) storage identif\$7 @ad<"20021017"	US-PGPUB; USPAT	AND	ON	2007/05/17 16:15
S17	548	370/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/02 14:47
S18	369	370/218.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/02 14:49
S19	182	370/219.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/02 14:49
S20	4476	709/219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/02 14:49
S21	2158	709/218.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/02 14:50
S22	5064	709/217.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/02 14:50
\$23	3	(control adj unit) WITH (routing adj table) (web\$5 adj application) @ad<"20021017"	US-PGPUB; USPAT	AND	ON	2008/01/15 17:16
S24	257	(storage with (application adj layer)) @ad<"20021017"	US-PGPUB; USPAT	AND	ON	2008/01/15 17:16
S25	0	((storage adj address) with (application adj layer)) @ad<"20021017"	US-PGPUB; USPAT	AND	ON	2008/01/15 17:17

S26	19	((storage with address) with	US-PGPUB;	AND	ON	2008/01/15	
	i	(application adj layer))	USPAT			17:17	
	į.	@ad< "20021017"					*****

9/3/2008 4:19:22 PM

C:\ Documents and Settings\ Wrussell\ My Documents\ EAST\ Workspaces\ 10613210.wsp